

## Clinical Policy: Ribociclib (Kisqali), Ribociclib/Letrozole (Kisqali Femara)

Reference Number: CP.PHAR.334

Effective Date: 05.17 Last Review Date: 02.18

Line of Business: Commercial, Medicaid

Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

### Description

Ribociclib (Kisqali<sup>®</sup>) is an inhibitor of cyclin-dependent kinases 4 and 6. Letrozole (Femara<sup>®</sup>) is an aromatase inhibitor.

## FDA Approved Indication(s)

Kisqali (in combination with an aromatase inhibitor) and Kisqali Femara are indicated as initial endocrine-based therapy for the treatment of postmenopausal women with hormone receptor (HR)-positive, human epidermal growth factor receptor 2 (HER2)-negative advanced or metastatic breast cancer.

### Policy/Criteria

Provider <u>must</u> submit documentation (which may include office chart notes and lab results) supporting that member has met all approval criteria

It is the policy of health plans affiliated with Centene Corporation<sup>®</sup> that Kisqali and Kisqali Femara are **medically necessary** when the following criteria are met:

### I. Initial Approval Criteria

- **A. Breast Cancer** (must meet all):
  - 1. Diagnosis of breast cancer;
  - 2. Prescribed by or in consultation with an oncologist;
  - 3. Disease meets all of the following characteristics (a, b, and c):
    - a. HR-positive (i.e., estrogen receptor (ER) and/or progesterone receptor (PR) positive);
    - b. HER2-negative;
    - c. Disease is advanced or metastatic;
  - 4. Prescribed for use in one of the following ways (a or b):
    - a. FDA approved use: in combination with an aromatase inhibitor (e.g., letrozole, anastrozole, exemestane) as initial endocrine-based therapy in postmenopausal women:
    - b. Off-label NCCN recommended use: male who will receive concomitant treatment for suppression of testicular steroidogenesis;
  - 5. Request meets one of the following (a or b):
    - a. Dose does not exceed Kisqali 600 mg per day (3 tablets/day for 21 days) and Femara 2.5 mg per day (1 tablet/day for 28-day cycle);
    - b. Dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).

## CENTENE® Corporation

## CLINICAL POLICY Ribociclib

**Approval duration:** 6 months

## B. Other diagnoses/indications

1. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, and CP.PMN.53 for Medicaid.

## **II. Continued Therapy**

## **A. Breast Cancer** (must meet all):

- 1. Currently receiving medication via Centene benefit, or documentation supports that member is currently receiving Kisqali or Kisqali Femara for breast cancer and has received this medication for at least 30 days;
- 2. Member is responding positively to therapy without the following reasons to discontinue (a or b):
  - a. Disease progression or unacceptable toxicity;
  - b. Required Kisqali dose reduction to < 200 mg/day;
- 3. If request is for a dose increase, request meets one of the following (a or b):
  - a. New dose does not exceed Kisqali 600 mg/day (3 tablets/day for 21 days) and Femara 2.5 mg/day (1 tablet/day for 28-day cycle);
  - b. New dose is supported by practice guideline or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).

## **Approval duration: 12 months**

## **B.** Other diagnoses/indications (must meet 1 or 2):

- 1. Currently receiving medication via Centene benefit and documentation supports positive response to therapy.
  - Approval duration: Duration of request or 6 months (whichever is less); or
- 2. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, and CP.PMN.53 for Medicaid.

### III. Diagnoses/Indications for which coverage is NOT authorized:

A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial, and CP.PMN.53 for Medicaid or evidence of coverage documents.

### IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key ER/PR: estrogen receptor/progesterone

receptor

FDA: Food and Drug Administration HER2: human epidermal growth factor

receptor 2

HR: hormone receptor

NCCN: National Comprehensive Cancer

Network

## CENTENE® Corporation

# CLINICAL POLICY Ribociclib

Appendix B: Therapeutic Alternatives
Not applicable

V. Dosage and Administration

Drug Name	<b>Dosing Regimen</b>	Maximum Dose
Ribociclib (Kisqali)	600 mg PO QD for 21	600 mg/day
	consecutive days followed	
	by 7 days off, in	
	combination with an	
	aromatase inhibitor	
Ribociclib/letrozole (Kisqali	600 mg Kisqali PO QD for	Kisquali: 600 mg/day
Femara)	21 consecutive days	
	followed by 7 days off	Femara: 2.5 mg/day
	2.5 mg Femara PO QD for a	
	28-day cycle	

VI. Product Availability

Drug Name	Availability
Ribociclib (Kisqali)	Tablets: 200 mg
Ribociclib/letrozole (Kisqali	Tablets: 200 mg ribociclib
Femara)	Tablets: 2.5 mg letrozole

### VII. References

- 1. Kisqali Prescribing Information. East Hanover, NJ: Novartis Pharmaceuticals Corporation; March 2017. Available at https://www.kisqali.com/. Accessed November 14, 2017.
- 2. Kisqali Femara Prescribing Information. East Hanover, NJ: Novartis Pharmaceuticals Corporation; May 2017. Available at <a href="https://www.accessdata.fda.gov/drugsatfda\_docs/label/2017/209935s000lbl.pdf">https://www.accessdata.fda.gov/drugsatfda\_docs/label/2017/209935s000lbl.pdf</a>. Accessed November 14, 2017.
- 3. National Comprehensive Cancer Network. Breast Cancer Version 3.2017. Available at: https://www.nccn.org/professionals/physician\_gls/pdf/breast.pdf. Accessed November 14, 2017.
- 4. Ribociclib. In: National Comprehensive Cancer Network Drugs and Biologics Compendium. Available at www.NCCN.org. Accessed November 14, 2017.

Reviews, Revisions, and Approvals	Date	P&T Approval Date
Policy created	04.17	04.17
1Q18 annual review:	11.17	02.18
Combined with CP.CPA.222. Converted to new template		
Added requirement for prescriber specialty		
Added criteria for off-label use in men		
References reviewed and updated.		



## CLINICAL POLICY Ribociclib

### **Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members



## CLINICAL POLICY Ribociclib

and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

**Note: For Medicaid members**, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2017 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene<sup>®</sup> and Centene Corporation. are registered trademarks exclusively owned by Centene Corporation.