

Clinical Policy: Tavaborole (Kerydin)

Reference Number: HIM.PA.117

Effective Date: 05.01.17 Last Review Date: 02.18

Line of Business: Health Insurance Marketplace Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

### **Description**

Tavaborole (Kerydin®) is an oxaborole antifungal agent.

## **FDA Approved Indication(s)**

Kerydin is indicated for the treatment of onychomycosis of the toenails due to *Trichophyton rubrum* or *Trichophyton mentagrophytes*.

### Policy/Criteria

Provider <u>must</u> submit documentation (which may include office chart notes and lab results) supporting that member has met all approval criteria

### I. Initial Approval Criteria

- **A. Onychomycosis** (must meet all):
  - 1. Diagnosis of onychomycosis of the toenails;
  - 2. Age  $\geq$  18 years;
  - 3. Failure of a 12-week trial of oral terbinafine at up to maximally indicated doses within the past 12 months, unless contraindicated or clinically significant adverse effects are experienced;
  - 4. Failure of ciclopirox 8% topical solution, unless contraindicated or clinically significant adverse effects are experienced.

**Approval duration: 48 weeks** 

#### **B.** Other diagnoses/indications

1. Refer to HIM.PHAR.21 if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized).

### **II.** Continued Therapy

- **A. Onychomycosis** (must meet all):
  - 1. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
  - 2. Member is responding positively to therapy.

**Approval duration: 48 weeks** 

### **B. Other diagnoses/indications** (must meet 1 or 2):

1. Currently receiving medication via Centene benefit and documentation supports positive response to therapy.

Approval duration: Duration of request or 48 weeks (whichever is less); or

# CLINICAL POLICY Tavaborole



2. Refer to HIM.PHAR.21if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized).

## III. Diagnoses/Indications for which coverage is NOT authorized:

**A.** Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off-label use policy – HIM.PHAR.21 or evidence of coverage documents.

## IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key FDA: Food and Drug Administration

Appendix B: Therapeutic Alternatives

This table provides a listing of preferred alternative therapy recommended in the approval criteria. The drugs listed here may not be a formulary agent for all relevant lines of business and may require prior authorization.

Drug Name	Dosing Regimen	Dose Limit/
		Maximum Dose
terbinafine	Toenail onychomycosis: 250 mg PO once	250 mg/day
(Lamisil®)	daily for 12 weeks	
ciclopirox 8%	Apply once daily (preferably at bedtime or	See dosing regimen
topical solution	eight hours before washing) to all affected	
(Penlac <sup>®</sup> )	nails with the applicator brush provided.	
	Daily applications should be made over	
	the previous coat and removed with	
	alcohol every seven days. This cycle	
	should be repeated throughout the duration	
	of therapy. The safety and efficacy of	
	using ciclopirox daily for > 48 weeks have	
	not been established.	

Therapeutic alternatives are listed as Brand name® (generic) when the drug is available by brand name only and generic (Brand name®) when the drug is available by both brand and generic.

#### V. References

- 1. Kerydin Prescribing Information. Palo Alto, CA: Anacor Pharmaceuticals, Inc., March 2015. Available at <a href="https://www.kerydin.com/">https://www.kerydin.com/</a>. Accessed November 3, 2017.
- 2. Tosti A. Onychomycosis Treatment & Management. Medscape website. <a href="http://emedicine.medscape.com/article/1105828-treatment">http://emedicine.medscape.com/article/1105828-treatment</a>. Updated July 13, 2017. Accessed November 6, 2017.
- 3. Westerberg DP, Voyack MJ. Onychomycosis: Current trends in diagnosis and treatment. Am Fam Physician. 2013 Dec 1;88(11):762-70.
- 4. Lamisil Tablets Prescribing Information. East Hanover, NJ: Novartis Pharmaceuticals Corporation; January 2017. Available at: https://dailymed.nlm.nih.gov/dailymed/. Accessed November 3, 2017.

# CLINICAL POLICY Tavaborole



Reviews, Revisions, and Approvals	Date	P&T Approval Date
Policy created.	01.17	05.17
1Q18 annual review:	11.06.17	02.18
- Age added per safety guidance endorsed by Centene		
Medical Affairs.		
- Modified duration of trial of terbinafine from 3 months		
to 12-weeks per Lamisil PI; specified a timeframe of		
within the past 12 months for oral terbinafine trial;		
removed duration of trial for ciclopirox		
- Re-auth: removed requirement that member has not		
received Kerydin daily ≥48 weeks as this would be		
difficult to verify objectively; modified approval duration		
from "up to 48 weeks of treatment (total)" to 48 weeks		
- References reviewed and updated.		

#### **Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

# CLINICAL POLICY Tavaborole



This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

©2017 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene<sup>®</sup> and Centene Corporation. are registered trademarks exclusively owned by Centene Corporation.