

Clinical Policy: Methadone (Dolophine)

Reference Number: CP.PPA.20

Effective Date: 11.01.2016

Last Review Date: 11.17

Line of Business: Medicaid

[Coding Implications](#)

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

Description

Methadone (Dolophine[®]) is an opioid agonist.

FDA Approved Indication(s)

Dolophine is indicated:

- For the management of pain severe enough to require daily, around-the-clock, long-term opioid treatment and for which alternative treatment options are inadequate.
Limitations of use:
 - Because of the risks of addiction, abuse, and misuse with opioids, even at recommended doses, and because of the greater risks of overdose and death with long-acting opioids, reserve Dolophine for use in patients for whom alternative treatment options (e.g., non-opioid analgesics or immediate-release opioids) are ineffective, not tolerated, or would be otherwise inadequate to provide sufficient management of pain.
 - Dolophine tablets are not indicated as an as-needed (prn) analgesic.
- For the detoxification treatment of opioid addiction (heroin or other morphine-like drugs).
- For the maintenance treatment of opioid addiction (heroin or other morphine-like drugs), in conjunction with appropriate social and medical services.

Policy/Criteria

Provider must submit documentation (which may include office chart notes and lab results) supporting that member has met all approval criteria

This policy is applicable to Dolophine 5 mg and 10 mg tablets for pain management. It is the policy of health plans affiliated with Centene Corporation[®] that Dolophine is **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

A. Pain Management (must meet all):

1. Prescribed for pain management for use around-the-clock (not prn);
2. Age \geq 18 years;
3. Previous use of a short-acting narcotic analgesic with inadequate response;
4. One of the following (a or b):
 - a. Prescribed by or in consultation with a pain management specialist, an oncologist, or for use in palliative or hospice care;
 - b. Failure of fentanyl patch and morphine sulfate ER (generic MS Contin), unless both are contraindicated or clinically significant adverse effects are experienced;
5. Request does not exceed health plan approved daily quantity limit.

CLINICAL POLICY
Methadone

Approval duration: Duration of request or 3 months (whichever is less)

B. Other diagnoses/indications

1. Refer to CP.PMN.53 if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized).

II. Continued Therapy

A. Pain Management (must meet all):

1. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
2. Member is responding positively to therapy;
3. Prescribed for use around-the-clock (not prn);
4. Request does not exceed health plan approved daily quantity limit.

Approval duration: Duration of request or 3 months (whichever is less)

B. Other diagnoses/indications (must meet 1 or 2):

1. Currently receiving medication via Centene benefit and documentation supports positive response to therapy.

Approval duration: Duration of request or 12 months (whichever is less); or

2. Refer to CP.PMN.53 if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized).

III. Diagnoses/Indications for which coverage is NOT authorized:

- A.** Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policy – CP.PMN.53 or evidence of coverage documents;

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key

FDA: Food and Drug Administration

prn: as-needed

V. Dosage and Administration

Indication	Dosing Regimen	Maximum Dose
Pain Management	For opioid naïve patients: 2.5 mg PO every 8 to 12 hours To convert to Dolophine tablets from another opioid: use available conversion factors to obtain estimated dose Titrate slowly with dose increases no more frequent than every 3 to 5 days	With appropriate dosage titration, there is no maximum dose of methadone

VI. Product Availability

Tablets: 5 mg and 10 mg.

CLINICAL POLICY
Methadone

VII. Workflow Document

N/A

VIII. References

1. Dolophine Prescribing Information. Eatontown, NJ: West-Ward Pharmaceuticals Corp.; January 2017. Available at: <https://dailymed.nlm.nih.gov/dailymed>. Accessed August 16, 2017.
2. Dowell D, Haegerich TM, Chou R. CDC Guideline for Prescribing Opioids for Chronic Pain—United States, 2016. JAMA. 2016;315(15):1624-1645.
3. The American Academy of Pain Medicine. The Evidence against Methadone as a “Preferred” Analgesic: A position statement from the American Academy of Pain Medicine. Available at: <http://www.painmed.org/files/the-evidence-against-methadone-as-a-preferred-analgesic.pdf>. Accessed August 16, 2017.
4. The American Academy of Pain Medicine. Clinical practice guidelines. Methadone for Pain Management: Improving Clinical Decision Making. Recommended Prescriber Practices from the American Academy of Pain Medicine. July 2016. Available at: <http://www.painmed.org/library/clinical-guidelines/>. Accessed August 16, 2017.
5. Manchikanti L, Kaye AM, Knezevic NN, et al. Responsible, Safe, and Effective Prescription of Opioids for Chronic Non-Cancer Pain: American Society of Interventional Pain Physicians (ASIPP) Guidelines. Pain Physician. 2017 Feb;20(2S):S3-S92.
6. Methadone. In: Clinical Pharmacology. Tampa, FL: Gold Standard; 2017. Available at: www.clinicalpharmacology.com. Accessed August 16, 2017.

Reviews, Revisions, and Approvals	Date	P&T Approval Date
New policy	08.16	11.16
Converted to new template. Modified initial/continued approval duration from “Duration of request or 12 months (whichever is less) to “Duration of request or 3 months (whichever is less)” to match the approval duration in the Narcotic Analgesics policy (CP.PPA.12). Initial: Added age restriction per PI and safety approach. Continued approval: Added requirement related to positive response to therapy. Updated references.	08.16.17	11.17

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in

CLINICAL POLICY

Methadone

developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note: For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

CLINICAL POLICY**Methadone**

©2016 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation[®] are registered trademarks exclusively owned by Centene Corporation.